

## Appendix A Regional Landscape Character Units


June 2010 A-1



Page A-2


Ruby Pipeline Visual Resource Assessment






Page A-4


Ruby Pipeline Visual Resource Assessment






Page A-6


Ruby Pipeline Visual Resource Assessment






Page A-8


Ruby Pipeline Visual Resource Assessment






Page A-10

Ruby Pipeline Visual Resource Assessment





Ruby Pipeline Visual Resource Assessment



Page A-12


Ruby Pipeline Visual Resource Assessment






Page A-14


Ruby Pipeline Visual Resource Assessment







Page A-16


Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Page A-20
Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment







Page A-28


Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment




## Appendix B BLM and USFS Visual Management Objectives


April 2010 B-1



Page B-2


Ruby Pipeline Visual Resource Assessment







Page B-4


Ruby Pipeline Visual Resource Assessment






Page B-6
Ruby Pipeline Visual Resource Assessment






Page B-8


Ruby Pipeline Visual Resource Assessment






Page B-10


Ruby Pipeline Visual Resource Assessment






Page B-12


Ruby Pipeline Visual Resource Assessment






Page B-14


Ruby Pipeline Visual Resource Assessment







Page B-16


Ruby Pipeline Visual Resource Assessment







Page B-18







Page B-20
Ruby Pipeline Visual Resource Assessment







Page B-22






Page B-24 Ruby Pipeline Visual Resource Assessment







Page B-26


Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Page B-32 Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment







Page B-40


Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment





## Appendix C Visibility Analysis and Key Observation Points

April 2010 C-1




Page C-2






Page C-4


Ruby Pipeline Visual Resource Assessment






Page C-6


Ruby Pipeline Visual Resource Assessment






Page C-8


Ruby Pipeline Visual Resource Assessment






Page C-10


Ruby Pipeline Visual Resource Assessment




Ruby Pipeline Visual Resource Assessment




Page C-12






Page C-14


Ruby Pipeline Visual Resource Assessment







Page C-16


Ruby Pipeline Visual Resource Assessment







Page C-18







Page C-20
Ruby Pipeline Visual Resource Assessment






Page C-22






Page C-24


Ruby Pipeline Visual Resource Assessment







Page C-26


Ruby Pipeline Visual Resource Assessment







Page C-28







Ruby Pipeline Visual Resource Assessment







Page C-32






Ruby Pipeline Visual Resource Assessment







Page C-36


Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment






Ruby Pipeline Visual Resource Assessment







Ruby Pipeline Visual Resource Assessment





## Appendix D Scenic Roads, Historic Trails, and Wild and Scenic Rivers Visibility Analysis


April 2010 D-1














Ruby Pipeline Visual Resource Assessment

# Appendix E Contrast Rating Forms

April 2010 E-1



Date: October 9, 2009
District: Kemmerer
Resource Area: Kemmerer
Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 1 **VRM:** Class 2

Road crossing on Route 30

Location: Township 21N Range 114W Section 28



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures		
Form	Flat to rolling	Low			
Line	Horizontal	Horizontal			
Color	Grey/brown	Seasonal green to straw/yellow			
Texture	Fine	Fine to medium			

	Land/Waterbody	Vegetation	Structures		
Form	Flat	Low, mottled			
Line	Horizontal	Diagonal			
Color	Grey/brown	Light green, seasonal green to straw/yellow			
Texture	Fine	Fine to medium			

# IV. CONTRAST RATING (KOP 1)

	L	and/Wate	erbody			Vegeta	tion			Struct	ures	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	e Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT								$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G





**Date:** October 9, 2009 **District:** Kemmerer District

**Resource Area:** Kemmerer **Activity (program):** Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 2 **VRM:** Class 4

Roberson Creek compressor station

Location: Township 20N Range 115W Section 24



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, dense	Geometric
Line	Horizontal	Varied	Horizontal with vertical
Color	Grey / brown	Grey/green	Neutral Browns
Texture	Fine	Fine	Fine to Medium

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, dense	Geometric
Line	Horizontal	Straight	Horizontal with high vertical
Color	Grey/brown	Light green, grey/green	Neutral browns
Texture	Fine	Fine	Fine to Medium



# IV. CONTRAST RATING (KOP 2)

	L	Land/Waterbody				Vegeta	tion			Structi	ıres	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST			$\boxtimes$					$\boxtimes$	$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$	$\boxtimes$			
Line												
ST			$\boxtimes$				$\boxtimes$		$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$			$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$				$\boxtimes$		$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$		$\boxtimes$		

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Additional mitigation  $\hfill \square$  Yes  $\hfill \square$  No measures recommended?





Date: October 9, 2009
District: Kemmerer District

Resource Area: Kemmerer

Activity (program):


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 3 **VRM:** Class 4

Oregon Trail / California Trail

Location: Township 18N Range 117W Section 5



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low		
Line	Horizontal	Indistinct		
Color	Grey/brown	Grey green		
Texture	Fine	Fine		

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low		
Line	Horizontal	Distinct		
Color	Grey/brown	Grey/green		
Texture	Fine	Fine		

# IV. CONTRAST RATING (KOP 3)

	L	Land/Waterbody				Vegeta	tion			Structi	ures	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	e Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST				$\boxtimes$		$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





Date: October 9, 2009
District: West Desert District

Resource Area: Salt Lake City
Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

Project Name: Ruby Pipeline—Proposed Alignment
Key Observation Point: 4 VRM: Class 4

Salt Wells

Location: Township 12N Range 7W Section 17



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures		
Form	Flat with distant hills	Low, irregular			
Line	Horizontal	Horizontal tn flat, diagonal			
Color	Brown/grey	Medium greens			
Texture	Fine	Medium to fine			

	Land/Waterbody	Vegetation	Structures			
Form	Flat	Low, irregular				
Line	Horizontal to sloped	Horizontal flat, diagonal slopes				
Color	Brown/grey	Medium greens				
Texture	Fine	Medium to fine				



# IV. CONTRAST RATING (KOP 4)

	L	and/Wat	erbody			Vegeta	tion			Structu	ires	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST			$\boxtimes$					$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$			$\boxtimes$					
Color												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	!											
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Additional mitigation measures recommended?

☐ Yes ☒ No





Date: October 9, 2009

District: 5

Resource Area: Salt Lake City
Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 5 **VRM:** Class 4

Wildcat Hills compressor station

Location: Township 12N Range 11W Section 16



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, regular	Roads – flat	
Line	Horizontal	Horizontal, indistinct	Horizontal, linear	
Color	Light grey / brown	Grey green	Light tan, gray	
Texture	Fine	Fine	Fine	

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, irregular	Geometric	
Line	Horizontal	Horizontal, distinct	Horizontal with high vertical	
Color	Light grey / brown	Light green, grey/green	Neutral browns	
Texture	Fine	Fine	Fine to Medium	

# VISUAL CONTRAST RATING WORKSHEET (CONTINUED)

# IV. CONTRAST RATING (KOP 5)

	L	.and/Wat	erbody			Vegeta	tion			Structi	ures	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong I	Moderate	Weak	None
Form												
ST				$\boxtimes$		$\boxtimes$			$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$			$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$				$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$			$\boxtimes$			$\boxtimes$		
LT				$\boxtimes$						$\boxtimes$		

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**





Date: October 9, 2009

District: West Desert District

October 9, 2009

Resource Area: Salt Lake City
Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 6 **VRM:** Class 4

Kelton

Location: Township 12N Range 11W Section 21



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures			
Form	Flat	Sparse, low, varied				
Line	Horizontal	Irregular				
Color	Grays dominate	Browns, green, grey				
Texture	Fine	Fine				

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, sparse	
Line	Horizontal	Varied	
Color	Grey	Browns, greys	
Texture	Fine	Fine	

# IV. CONTRAST RATING (KOP 6)

	L	and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$				$\boxtimes$				
LT												
Line												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Color												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Texture												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

Additional mitigation measures recommended?

☐ Yes ☒ No





Date: October 9, 2009
District: West Desert District

Resource Area: Salt Lake City
Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 7 **VRM:** Class 4

**Emigrant Trail** 

Location: Township 10N Range 15W Section 9



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, varied		
Line	Straight	Indistinct		
Color	Grey / reds	Greens /reds		
Texture	Fine	Fine		

	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, varied		
Line	Straight	Indistinct		
Color	Grey / reds	Greens /reds		
Texture	Fine	Fine		



# IV. CONTRAST RATING (KOP 7)

	L	.and/Wate	erbody			Vegeta	tion			Structu	res	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Line												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Color												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

Project Name: Ruby Pipeline—Proposed Alignment
Key Observation Point: 8 VRM: Class 2

Winecup Ranch

Location: Township 41N Range 64E Section 36



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, varied	Vertical
Line	Horizontal / diagonal	Horizontal / diagonal	Strong
Color	Tans/ browns	Brown, green, tan	Brown
Texture	Fine	Fine	Fine

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low	Vertical
Line	Horizontal / diagonal	Distinct	Strong
Color	Tans / brown	Brown, green	Brown
Texture	Fine	Fine	Fine



# IV. CONTRAST RATING (KOP 8)

-	L	and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Line												
ST				$\boxtimes$		$\boxtimes$						$\boxtimes$
LT				$\boxtimes$			$\boxtimes$					$\boxtimes$
Color												
ST				$\boxtimes$			$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Texture	<b>:</b>											
ST				$\boxtimes$				$\boxtimes$				$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G





**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 9 **VRM:** Class 4

US 93 Crossing / Staging

Location: Township 41N Range 64E Section 29



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, regular		
Line	Horizontal / diagonal	Indistinct		
Color	Medium grey / brown	Grey / green		
Texture	Fine	Fine		

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, irregular	
Line	Horizontal / diagonal	Distinct	
Color	Light – medium grey/ brown	Grey / green, light green	
Texture	Fine	Fine	



# IV. CONTRAST RATING (KOP 9)

	L	.and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT								$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Texture	<b>)</b>											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 10 **VRM:** Class 3

Wieland Flat / Compressor Station

Location: Township 39N Range 55E Section 20



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

,	Land/Waterbody	Vegetation	Structures
Form	Flat to Rolling	Low, regular	Flat road, vertical transmission towers
Line	Horizontal to angled	Horizontal, indistinct	Angled/linear road, vertical transmission towers
Color	Light to dark brown / grey	Seasonal green to straw/yellow	Dark to light grey
Texture	Fine	Fine to medium	Fine

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling	Low , irregular	Flat road, vertical transmission towers, geometric
Line	Horizontal to angled	Horizontal, distinct	Angled/linear road, vertical trans. towers, horizontal with high vertical
Color	Light to dark brown / grey	Seasonal green to straw/yellow	Dark to light grey, neutral browns
Texture	Fine	Fine to medium	Fine to medium



# IV. CONTRAST RATING (KOP 10)

	L	.and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong I	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$		$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$	$\boxtimes$			
Line												
ST			$\boxtimes$				$\boxtimes$		$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$	$\boxtimes$			
Color												
ST			$\boxtimes$				$\boxtimes$			$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$		$\boxtimes$		
Texture	<b>!</b>											
ST				$\boxtimes$			$\boxtimes$			$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$		$\boxtimes$		

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G.





**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 11 **VRM:** Class 3

Highway 226 crossing

Location: Township 39N Range 53E Section 36



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures
Form	Rolling	Low, regular	
Line	Horizontal to angular	Indistinct	
Color	Tan to brown	Seasonal green to straw, grey/greer	ı
Texture	Fine	Fine to medium	

	Land/Waterbody	Vegetation	Structures
Form	Rolling	Low , irregular	
Line	Horizontal to angular	Distinct	
Color	Light tan to brown	Seasonal green to straw,	grey/green
Texture	Fine	Fine to medium	

# IV. CONTRAST RATING (KOP 11)

	L	Land/Waterbody				Vegeta	tion			Structu	res	
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT								$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST		$\boxtimes$				$\boxtimes$						
LT			$\boxtimes$				$\boxtimes$					
Texture	!											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet  $\quad \boxtimes$  Yes  $\hfill \square$  No visual resource objectives?

Additional mitigation ☐ Yes ☒ No measures recommended?





**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 12 **VRM:** Class 4

China Creek Crossing

Location: Township 38N Range 49E Section 3



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures			
Form	Flat to rolling	Low, regular				
Line	Horizontal to curved	Horizontal, indistinct				
Color	Light to dark brown / grey	Seasonal green to straw				
Texture	Fine	Fine to medium				

	Land/Waterbody	Vegetation	Structures			
Form Flat to rolling		Low , irregular				
Line	Horizontal to curved	Horizontal, distinct, angled				
Color	Light to dark brown / grey	Seasonal green to straw, light green				
Texture	Fine	Fine to medium	Fine to medium			

# IV. CONTRAST RATING (KOP 12)

•	Land/Waterbody				Vegeta	tion			Structi	ıres		
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong I	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST		$\boxtimes$				$\boxtimes$						
LT			$\boxtimes$				$\boxtimes$					
Texture	!											
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 13 **VRM:** Class 4

Willow Creek Reservoir

Location: Township 39N Range 48E Section 34



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures		
Form	Flat to rolling with small buttes	Low, amorphic, regular			
Line	Horizontal to angular	Horizontal, indistinct			
Color	Brown to dark brown	Seasonal green to straw/yellow, grey/green			
Texture	Fine to medium	Fine to medium			

	Land/Waterbody	Vegetation	Structures	
Form	Flat to rolling with small buttes	Low , geometric, irregular		
Line	Horizontal to angular	Horizontal, distinct		
Color	lor Light brown to dark brown Light green, seasonal green to straw/yellow, grey/green			
Texture	Fine to medium	Fine to medium		

# IV. CONTRAST RATING (KOP 13)

	L	Land/Waterbody				Vegeta	tion			Structu	res	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$		$\boxtimes$						
LT								$\boxtimes$				
Line												
ST				$\boxtimes$		$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Texture	!											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 14 **VRM:** Class 3

Owyhee Bluffs

Location: Township 38N Range 45E Section 18



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures		
Form	Flat with steep buttes	Low, regular			
Line	Horizontal	Horizontal, indistinct			
Color	Brown to dark brown	Seasonal green to straw/yellow			
Texture	Fine to medium	Fine			

	Land/Waterbody	Vegetation	Structures			
Form	Flat with steep buttes	Low, irregular				
Line Horizontal		Horizontal, distinct				
Color	Light brown to dark brown	Light green, seasonal green to straw/yellow, grey/green				
Texture	Fine to medium	Fine				



# IV. CONTRAST RATING (KOP 14)

	Land/Waterbody					Vegeta	tion			Structu	ıres	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

measures recommended?

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No







**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Diane Simpson-Colebank, Pat Higgins, Craig Johnson

### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 15 **VRM:** Class 4

**Desert Valley Compressor Station** 

Location: Township 41N Range 33E Section 9



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures	
Form	Flat	Low, regular	Flat roads, vertical power poles	
Line	Horizontal	Horizontal, indistinct	Linear road, vertical power poles	
Color	Light grey / tan	Grey / green	Grey, brown	
Texture	Fine	Fine	Fine	

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low , irregular	Flat roads, vertical power poles, geometric
Line	Horizontal	Horizontal, distinct	Linear road, vertical power poles, horizontal with high vertical
Color	Light grey / tan	Light green, grey/green	Grey, brown, neutral browns
Texture	Fine	Fine	Fine to medium



# IV. CONTRAST RATING (KOP 15)

	L	Land/Waterbody				Vegeta	tion		Structures			
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong I	Moderate	e Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$		$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$	$\boxtimes$			
Line												
ST			$\boxtimes$				$\boxtimes$		$\boxtimes$			
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$				$\boxtimes$		
LT				$\boxtimes$			$\boxtimes$					
Texture	<b>)</b>											
ST				$\boxtimes$			$\boxtimes$			$\boxtimes$		
LT				$\boxtimes$				$\boxtimes$		$\boxtimes$		

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

measures recommended?

Site specific mitigation as identified in Appendix G.







Date: October 9, 2009
District: Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson


### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 16 **VRM:** Class 4

Blackrock Desert #1 from Leonard Creek Road—adjacent to

VRM Class 1

Location: Township 42N Range 30E Section 33



### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form Flat terrain		Simple, regular		
<b>Line</b> Horizontal		Horizontal, indistinct		
Color Gray/tan		Gray/green		
Texture	Fine	Fine		

	Land/Waterbody	Vegetation	Structures		
Form	Flat terrain	Simple, irregular			
Line Horizontal		Horizontal, distinct			
Color Gray/tan		Light green, gray/green			
Texture	Fine	Fine			

# IV. CONTRAST RATING (KOP 16)

	Land/Waterbody				Vegetation			Structures				
	Strong	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong I	Moderate	e Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$								

Note: ST = short term (0–5 years); LT = long term (20-plus years)

### **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson


### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 17 **VRM:** Class 4

Black Rock Desert #2 from Leonard Creek Road—adjacent to

VRM Class 1

Location: Township 41N Range 29E Section 7



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form	Flat terrain	Simple, regular		
Line	Horizontal	Horizontal, indistinct		
Color	Gray/tan	Gray/green		
Texture	Fine	Fine		

	Land/Waterbody	Vegetation	Structures	
Form	Flat terrain	Simple, irregular		
Line	Horizontal	Horizontal, distinct		
Color Gray/tan		Light green, gray/green		
Texture	Fine	Fine		

# VISUAL CONTRAST RATING WORKSHEET (CONTINUED)

# IV. CONTRAST RATING (KOP 17)

	L	and/Wat	erbody			Vegeta	tion			Struct	ures	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong I	Moderate	e Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>;</b>											
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 18 **VRM:** Class 2

Lahontan Wilderness Study Area

Location: Township 42N Range 26E Section 12



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Rolling terrain	Low, regular	
Line	Horizontal to sloped	Horizontal, indistinct	
Color	Dark Tan to dark brown/black	Seasonal green to straw/yellow	
Texture	Fine to medium	Fine	

	Land/Waterbody	Vegetation	Structures			
Form	Rolling terrain	Low, irregular				
Line	Horizontal to sloped	Horizontal, distinct				
Color	Dark tan to dark brown/black	Oark tan to dark brown/black Seasonal green to straw/yellow, light green				
Texture	Fine to medium	Fine				



# IV. CONTRAST RATING (KOP 18)

	L	.and/Wat	erbody			Vegeta	tion		Structures			
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>)</b>											
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G





Date: October 9, 2009

**District:** Northern California District

**Resource Area:** Surprise **Activity (program):** Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 19 **VRM:** Class 2

Badger Mountain

Location: Township 42N Range 23E Section 10



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Rolling with irregular rock forms	Low, regular, stippled	
Line	Horizontal, irregular, broken	Indistinct	
Color	Tan to dark brown	Gray/green, seasonal green to straw/yellow	
Texture	Medium to coarse	Fine to medium	
TOXIGIO	Woodalli to oodioo	Tille te mediam	

	Land/Waterbody	Vegetation	Structures
Form	Rolling with irregular rock forms	Low, irregular, stippled	
Line	Horizontal, irregular, broken	Distinct	
Color	Light tan to dark brown	Gray/green, seasonal green to straw/yellow, light green	
Texture	Medium to coarse	Fine to medium	



# IV. CONTRAST RATING (KOP 19)

	L	.and/Wat	erbody			Vegeta	tion		Structures			
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST			$\boxtimes$				$\boxtimes$					
LT								$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT			$\boxtimes$				$\boxtimes$					
Color												
ST		$\boxtimes$					$\boxtimes$					
LT				$\boxtimes$			$\boxtimes$					
Texture	!											
ST			$\boxtimes$				$\boxtimes$					
LT			$\boxtimes$					$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?	☐ Yes ⊠ No	
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G.





Date: October 9, 2009

**District:** Northern California District

Resource Area: Surprise
Activity (program): Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 20 **VRM:** Class 2

Massacre

Location: Township 42N Range 21E Section 3



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures
Form	Flat terrain	Low, regular	
Line	Horizontal	Horizontal, indistinct	
Color	Light to medium gray/brown	Gray to slightly green	
Texture	Fine	Medium to fine	

	Land/Waterbody	Vegetation	Structures	
Form	Flat terrain	Low, irregular		
Line	Horizontal	Horizontal, distinct		
Color	Light to medium gray/brown	Gray to green		
Texture	Fine	Medium to fine		



# IV. CONTRAST RATING (KOP 20)

	L	.and/Wate	erbody			Vegetation				Structures			
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong I	Moderate	Weak	None	
Form													
ST				$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$					
Line													
ST			$\boxtimes$			$\boxtimes$							
LT				$\boxtimes$				$\boxtimes$					
Color													
ST			$\boxtimes$				$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$					
Texture	<b>)</b>												
ST				$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$					

Note: ST = short term (0-5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G.





Date: October 9, 2009

**District:** Northern California District

Resource Area: Surprise
Activity (program): Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 21 **VRM:** Class 2

Painted Point from Roadway 8, outside foreground

Location: Township 42N Range 20E Section 10



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures
Form	Flat with isolated, distinct butte	Low, regular	
Line	Horizontal to angular/vertical	Horizontal, indistinct	
Color	Light gray to tan, reddish-orange	Gray to slightly green	
Texture	Fine to coarse, striated	Fine to patchy	

	Land/Waterbody	Vegetation	Structures	
Form	Flat with isolated, distinct butte	Low, regular		
Line	Horizontal to angular/vertical	Horizontal, indistinct		
Color	Light gray to tan, reddish-orange	Gray to slightly green		
Texture	Fine to coarse, striated	Fine to patchy		

# IV. CONTRAST RATING (KOP 21)

	Land/Waterbody				Vegeta	tion			Structu	ıres		
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Line												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Color												
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>!</b>											
ST				$\boxtimes$				$\boxtimes$				
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

#### **Summary and Recommendations**

Additional mitigation  $\hfill \square$  Yes  $\hfill \square$  No measures recommended?





**Date:** October 9, 2009 **District:** Lakeview District

Resource Area: Klamath Falls Resource Area

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 22 **VRM:** Class 3

Rock Creek Campground

Location: Township 41S Range 15E Section 17



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures					
Form	Flat to rolling	Complex, vertical to horizontal						
Line	Horizontal	Indistinct						
Color	Orange to dark brown	Seasonal green to straw/yellow						
Texture	Fine	Fine to coarse						

	Land/Waterbody	Vegetation	Structures					
Form	Flat to rolling	Complex, vertical to horizontal						
Line	Horizontal	Distinct						
Color	Orange to dark brown	Seasonal green to straw/yellow, light green						
Texture	Fine	Fine to coarse						



# VISUAL CONTRAST RATING WORKSHEET (CONTINUED)

# IV. CONTRAST RATING (KOP 22)

	L	.and/Wate	erbody			Vegeta	tion			Structu	res	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$		$\boxtimes$						
LT				$\boxtimes$								
Line												
ST				$\boxtimes$		$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>:</b>											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G.





**Date:** October 9, 2009 **District:** Lakeview District

Resource Area: Klamath Falls Resource Area

Activity (program): Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 23 **VRM:** Class 3

Wash near Rock Creek Campground

Location: Township 41S Range 15E Section 17



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling	Complex, regular	Flat to rolling
Line	Horizontal	Indistinct	Curving, broken
Color	Orange to dark brown	Seasonal, green to straw	Light to dark grey
Texture	Fine to medium	Fine to coarse	Fine

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling	Complex, irregular	Flat to rolling
Line	Horizontal	Distinct	Curving, broken
Color	Orange to dark brown	Seasonal, green to straw	Light to dark grey
Texture	Fine to medium	Fine to coarse	Fine

# IV. CONTRAST RATING (KOP 23)

	L	and/Wat	erbody			Vegeta	tion			Structi	ures	
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	e Weak	None
Form												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>;</b>											
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

#### **Summary and Recommendations**

Additional mitigation  $\hfill \square$  Yes  $\hfill \square$  No measures recommended?





Date: October 9, 2009
District: Lakeview District

Resource Area: Klamath Falls Resource Area

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Proposed Alignment **Key Observation Point:** 24 **VRM:** Class 3

Historic Corral

Location: Township 41S Range 14.5E Section 22



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Flat with small angular slopes	Horizontal	Geometric
Line	Horizontal	Irregular, Indistinct	Horizontal, short vertical
Color	Light tan to grey	Seasonal, green to straw	Dark brown to grey
Texture	Fine	Fine to medium, slightly patchy	Fine

	Land/Waterbody	Vegetation	Structures
Form	Flat with small angular slopes	Horizontal	Geometric
Line	Horizontal	Irregular, slightly distinct	Horizontal, short vertical
Color	Light tan to grey	Seasonal, green to straw	Dark brown to grey
Texture	Fine	Fine to medium, slightly patchy	Fine

# IV. CONTRAST RATING (KOP 24)

-	L	.and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>)</b>											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0-5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?	⊠ Yes □ No	
Additional mitigation measures recommended?	☐ Yes ⊠ No	Character of existing visual setting of corral would not be affected.





**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

Project Name: Ruby Pipeline—Sheldon Alternative
Key Observation Point: 25 VRM: Class 2

**Emigrant Pass** 

Location: Township 46N Range 30E Section 18



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Gentle rolling to slightly steep	Low, horizontal	
Line	Horizontal to rounded	Horizontal to indistinct	
Color	Light tan to light grey	Seasonal, green to grey/green	
Texture	Fine, slightly patchy	Fine to patchy	
	, , , ,	' '	

	Land/Waterbody	Vegetation	Structures
Form	Gentle rolling to slightly steep	Low, horizontal	
Line	Horizontal to rounded	Distinct, vertical to angular	
Color	Light tan to light grey	Seasonal, light green to grey/green	
Texture	Fine, slightly patchy	Fine to patchy	



# IV. CONTRAST RATING (KOP 25)

	L	.and/Wat	erbody			Vegetation			Structures			
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT								$\boxtimes$				
Line												
ST				$\boxtimes$		$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	!											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G.





**Date:** October 9, 2009 **District:** Lakeview District

Resource Area: Lakeview Resource Area

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Sheldon Alternative **Key Observation Point:** 26 **VRM:** Class 4

Dougherty Slide

Location: Township 40S Range 27E Section 35



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Rounded, vertical	Low, simple	Flat
Line	Angular to horizontal	Horizontal, indistinct	Angled line
Color	Light tan to dark brown	Seasonal, green to grey/green	Grey
Texture	Medium to coarse	Fine	Fine

	Land/Waterbody	Vegetation	Structures
Form	Rounded, vertical	Low, simple	Flat
Line	Angular to horizontal	Distinct	Angled line
Color	Light tan to dark brown	Seasonal, green to grey/green, light green	Grey
Texture	Medium to coarse	Fine	Fine

# IV. CONTRAST RATING (KOP 26)

		Land/Wate	rbody			Vegetat	ion			Structures			
	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	-	Strong	Moderate	Weak	None
Form													
ST			$\boxtimes$					$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$					
Line													
ST			$\boxtimes$			$\boxtimes$							
LT				$\boxtimes$			$\boxtimes$						
Color													
ST		$\boxtimes$				$\boxtimes$							
LT			$\boxtimes$				$\boxtimes$						
Texture													
ST			$\boxtimes$				$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$					

Note: ST = short term (0–5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

measures recommended?

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No





Date: October 9, 2009
District: Lakeview District

Resource Area: Lakeview Resource Area

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline— Sheldon Alternative **Key Observation Point:** 27 **VRM:** Class 3

Coleman Rim - East

Location: Township 40S Range 23E Section 12



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

Form Rolling, vertical Low, indistinct  Line Angular to horizontal Indistinct, horizontal  Color Light brown to dark brown Grey/green, light green	'	Land/Waterbody	Vegetation	Structures
Color Light brown to dark brown Grey/green, light green	Form	Rolling, vertical	Low, indistinct	
	Line	Angular to horizontal	Indistinct, horizontal	
Toutons Medium to some	Color	Light brown to dark brown	Grey/green, light green	
lexture Medium to coarse Fine	Texture	Medium to coarse	Fine	

-	Land/Waterbody	Vegetation	Structures
Form	Rolling, vertical	Low, somewhat distinct	
Line	Angular to horizontal	Distinct, horizontal	
Color	Light brown to dark brown	Grey/green, light green	
Texture	Medium to coarse	Fine	

# VISUAL CONTRAST RATING WORKSHEET (CONTINUED)

# IV. CONTRAST RATING (KOP 27)

	L	Land/Waterbody				Vegeta	tion			Structu	ıres	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong I	Moderate	Weak	None
Form												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$			$\boxtimes$					
Color												
ST		$\boxtimes$				$\boxtimes$						
LT							$\boxtimes$					
Texture	<b>!</b>											
ST			$\boxtimes$				$\boxtimes$					
LT												

Note: ST = short term (0–5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

Does project design meet visual resource objectives?

Additional mitigation ☐ Yes ☒ No measures recommended?





Date: October 9, 2009
District: Lakeview District

Resource Area: Lakeview Resource Area

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline— Sheldon Alternative **Key Observation Point:** 28 **VRM:** Class 3

Coleman Rim - West

Location: Township 40S Range 25E Section 33



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Rolling, vertical	Low, indistinct	Linear to curving
Line	Horizontal to angular/rounded	Indistinct, horizontal	Straight to curving, converging
Color	Tan to dark brown	Seasonal, grey/green to light green	Dark grey to brown
Texture	Fine to course	Fine to medium	Fine

	Land/Waterbody	Vegetation	Structures
Form	Rolling, vertical	Low, distinct	Linear to curving
Line	Horizontal to angular/rounded	Distinct, horizontal to angular	Straight to curving, converging
Color	Tan to dark brown	Seasonal, grey/green to light green	Dark grey to brown
Texture	Fine to course	Fine to medium	Fine

# IV. CONTRAST RATING (KOP 28)

-	L	Land/Waterbody				Vegeta	tion			Structi	ıres	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						$\boxtimes$
LT				$\boxtimes$			$\boxtimes$					$\boxtimes$
Color												
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Texture	!											
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$

Note: ST = short term (0–5 years); LT = long term (20-plus years)

#### **Summary and Recommendations**

Additional mitigation  $\hfill \square$  Yes  $\hfill \square$  No measures recommended?





**Date:** October 9, 2009 **District:** Winnemucca District

Resource Area: 1T

Activity (program): Oil and Gas


**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline—Black Rock Alternative **Key Observation Point:** 29 **VRM:** Class 2

Spoon Mountain

Location: Township 37N Range 38E Section 32



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling, isolated buttes and mesas	Low, regular	
Line	Horizontal to angular	Horizontal, indistinct	
Color	Light tan to dark brown/grey	Grey/green	
Texture	Fine to medium	Fine to medium, stippled	

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling, isolated buttes and mesas	Low, irregular	
Line	Horizontal to angular	Horizontal, distinct	
Color	Light tan to dark brown/grey	Grey/green, light green	
Texture	Fine to medium	Fine to medium, stippled	

# IV. CONTRAST RATING (KOP 29)

	L	Land/Waterbody				Vegeta	tion			Structu	ıres	
	Strong	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Line												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$			$\boxtimes$						
LT				$\boxtimes$				$\boxtimes$				
Texture												
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				

Note: ST = short term (0–5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G





**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline— Black Rock Alternative **Key Observation Point:** 30 **VRM:** Class 4

Sulfur-Adjacent to VRM Class 1

Location: Township 35N Range 29E Section 28



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

-	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, regular	Linear, horizontal and vertical
Line	Horizontal	Horizontal, indistinct	Straight, converging
Color	Light tan/grey	Green to straw, red	Light to dark grey/brown
Texture	Fine	Fine, patchy	Fine

	Land/Waterbody	Vegetation	Structures
Form	Flat	Low, irregular	Linear, horizontal and vertical
Line	Horizontal	Horizontal, distinct	Straight, converging
Color	Light tan/grey	Light green to straw, red	Light to dark grey/brown
Texture	Fine	Fine, patchy	Fine

# IV. CONTRAST RATING (KOP 30)

	L	and/Wat	erbody			Vegeta	tion			Structu	res	
	Strong	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					$\boxtimes$
LT								$\boxtimes$				$\boxtimes$
Line												
ST			$\boxtimes$			$\boxtimes$						$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Color												
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Texture	!											
ST				$\boxtimes$				$\boxtimes$				$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$

Note: ST = short term (0-5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

Additional mitigation  $\square$  Yes  $\boxtimes$  No measures recommended?







**Date:** October 9, 2009 **District:** Winnemucca District

**Resource Area:** 

Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline— Black Rock Alternative **Key Observation Point:** 31 **VRM:** Class 3

Trago Hot Springs, near VRM Class 1

Location: Township 33N Range 25E Section 10



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures
Form	Rolling, vertical	Low, regular	Linear
Line	Angular to horizontal	Indistinct, horizontal	Straight, converging
Color	Light to dark brown	Grey/green	Light tan/grey
Texture	Fine to medium	Fine	Fine

	Land/Waterbody	Vegetation	Structures
Form	Rolling, vertical	Low, irregular	Linear
Line	Angular to horizontal and vertical	Distinct, horizontal	Straight, converging
Color	Light to dark brown	Light green, Grey/green	Light tan/grey
Texture	Fine to medium	Fine	Fine

# IV. CONTRAST RATING (KOP 31)

	Land/Waterbody				Vegeta	tion		Structures				
	Strong I	Moderate	Weak	None	Strong I	Moderate	Weak	None	Strong	Moderate	e Weak	None
Form												
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$
Line												
ST			$\boxtimes$			$\boxtimes$						$\boxtimes$
LT				$\boxtimes$			$\boxtimes$					$\boxtimes$
Color												
ST		$\boxtimes$				$\boxtimes$						$\boxtimes$
LT				$\boxtimes$			$\boxtimes$					$\boxtimes$
Texture	•											
ST			$\boxtimes$				$\boxtimes$					$\boxtimes$
LT				$\boxtimes$				$\boxtimes$				$\boxtimes$

Note: ST = short term (0–5 years); LT = long term (20-plus years)

# **Summary and Recommendations**

Does project design meet visual resource objectives?  $\square$  Yes  $\square$  No Additional mitigation  $\square$  Yes  $\square$  No

measures recommended?





Date: October 9, 2009

**District:** Northern California District

Resource Area: Surprise
Activity (program): Oil and Gas

**Evaluators:** Mark Meyer, Craig Johnson

#### I. PROJECT INFORMATION

**Project Name:** Ruby Pipeline— Black Rock Alternative **Key Observation Point:** 32 **VRM:** Class 1

**Boulder Mountain** 

Location: Township 39N Range 20E Section 11



#### II. CHARACTERISTIC LANDSCAPE DESCRIPTION

	Land/Waterbody	Vegetation	Structures	
Form	Flat to rolling/vertical	Low, regular		
Line	Horizontal to angular	Indistinct, horizontal		
Color	Light tan dark brown	Grey/green		
Texture	Fine to medium	Fine		

	Land/Waterbody	Vegetation	Structures
Form	Flat to rolling/vertical	Low, irregular	
Line	Horizontal to angular	Distinct, horizontal	
Color	Light tan dark brown	Light green, Grey/green	
Texture	Fine to medium	Fine	

# IV. CONTRAST RATING (KOP 32)

	Land/Waterbody				Vegeta	tion		Structures				
	Strong I	Moderate	Weak	None	Strong I	/loderate	Weak	None	Strong	Moderate	Weak	None
Form												
ST				$\boxtimes$			$\boxtimes$					
LT								$\boxtimes$				
Line												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Color												
ST			$\boxtimes$				$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				
Texture	<b>)</b>											
ST				$\boxtimes$			$\boxtimes$					
LT				$\boxtimes$				$\boxtimes$				


Note: ST = short term (0-5 years); LT = long term (20-plus years)

Does project design meet visual resource objectives?		
Additional mitigation measures recommended?	⊠ Yes □ No	Site specific mitigation as identified in Appendix G




# Appendix F BLM and USFS Visual Management Objectives and Regional Landscape Character Units

April 2010 F-1




Page F-2

Ruby Pipeline Visual Resource Assessment




Ruby Pipeline Visual Resource Assessment


Page F-3




Page F-4


Ruby Pipeline Visual Resource Assessment









Ruby Pipeline Visual Resource Assessment



Page F-8


Ruby Pipeline Visual Resource Assessment






Page F-10


Ruby Pipeline Visual Resource Assessment






Page F-12


Ruby Pipeline Visual Resource Assessment






Page F-14


Ruby Pipeline Visual Resource Assessment






Page F-16


Ruby Pipeline Visual Resource Assessment







Page F-18


Ruby Pipeline Visual Resource Assessment







Page F-20
Ruby Pipeline Visual Resource Assessment






Page F-22 Ruby Pipeline Visual Resource Assessment






Page F-24


Ruby Pipeline Visual Resource Assessment






Page F-26


Ruby Pipeline Visual Resource Assessment






Page F-28


Ruby Pipeline Visual Resource Assessment






Page F-30


Ruby Pipeline Visual Resource Assessment






Page F-32


Ruby Pipeline Visual Resource Assessment






Page F-34


Ruby Pipeline Visual Resource Assessment






Page F-36


Ruby Pipeline Visual Resource Assessment






Page F-38


Ruby Pipeline Visual Resource Assessment






Page F-40

Ruby Pipeline Visual Resource Assessment




Ruby Pipeline Visual Resource Assessment

Page F-41




Page F-42

Ruby Pipeline Visual Resource Assessment




Ruby Pipeline Visual Resource Assessment

Page F-43



Page F-44

Ruby Pipeline Visual Resource Assessment



Ruby Pipeline Visual Resource Assessment
Page F-45


# Appendix G Site-Specific Mitigation Measures

April 2010 G-1

Site specific mitigation measures have been developed for the locations shown on the following pages. Mitigation measures identified in section 6.0 of the Visual Resource Impact Assessment are to be applied in the landscape character units as indicated throughout the project.

Mitigation implementation shall be monitored by qualified BLM design or visual resource staff or their representative. Visual Resources mitigation monitor shall work with the Environmental Inspector or third party inspector to implement mitigation within the framework of contract general conditions and, depending on field conditions, work with the construction contractor and craft inspector to apply the appropriate measures that will satisfy the visual requirements in the RMP.

Referenced details are at the end of this appendix.



- All construction and disturbance, including boring activities, shall occur from the road toe of slope out or
  outside of a 20 foot buffer from the edge of pavement, whichever is greater, on each side of Hwy 30
  except for the development and maintenance of a temporary access road across Hwy 30 through the
  duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 30.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.
- Trample vegetation in 7.46 acre staging area and reclaim with pitting and vertical mulching techniques.

Location:
MP 101

300A-43

Mantua

MP 101

MP 101

MP 101

MP 101

# Mitigation Recommendations:

Approximate limits of pitting/vertical mulching

• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor between approximately MP 101 and 101.9.



- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 89 except for the development and maintenance of a temporary access road across Hwy 89 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 89 and in the staging area.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location: Alignment Sheet: Description: Interstate 15/84 crossing

Mitigation Recommendations:

Approximate limits of pitting/vertical mulching

• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor on the west side of Interstate 15 to agricultural field


Location: Near MP 127 Alignment Sheet: 300A-53

Description: Hwy 102 crossing near MLV No. 10



Approximate limits of pitting/vertical mulching

- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 102 except for the development and maintenance of a temporary access road across Hwy 102 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor to existing agricultural field on the north side of Hwy 102 and within staging area.
- Protect selected trees on east side of pipeline disturbance corridor and staging area if possible.



- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 83, except for the development and maintenance of a temporary access road across Hwy 83 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location:
MP 172.5

Alignment Sheet:
300A-72

Wildcat Hills Compressor Station

Compressor
Station

Approximate limits of pitting/vertical mulching

- No clearing of vegetation to occur outside of compressor station site. Vegetation in necessary disturbance areas outside of the compressor station site to remain and be trampled unless otherwise specified.
- Existing vegetation to remain between developed berms in pipe yard, as practical. After project completion, berms to be removed in their entirety and disturbed area to be reclaimed with pitting and vertical mulching techniques. (See Exhibit E)
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on west side of adjacent road.

Location: Near MP 20 Alignment Sheet: 300A-9

Description:
Oregon/California Auto Route
(Hwy 412) crossing and staging area



Approximate limits of pitting/vertical mulching
Approximate limits of no disturbance

- All construction and disturbance, including boring activities, shall occur from the road toe of slope out
  or outside of a 20 foot buffer from the edge of pavement, whichever is greater, on each side of the
  Auto Route except for the development and maintenance of a temporary access road across the Auto
  Route through the duration of the project. All existing vegetation within this defined area shall be
  maintained and protected.
- Minimize pipeline disturbance corridor in wetland between Auto Route and Muddy Creek to 75 feet.
- Vegetation in staging area on north side of Auto Route shall not be cleared unless grading is required. Grading in this area is to be minimized if possible.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for approximately 170 feet between Little Muddy Creek and the Auto Route on the north side of the road crossing, and 300 feet on the south side of the road crossing.
- Trample vegetation in 0.92 acre staging area and reclaim with pitting and vertical mulching techniques.
- After pipeline installation, the temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location: MP 209.5 to 212

Alignment Sheets: 300A-87 & 88

Description: Near Transcontinental Railroad and Hwy 30



Approximate limits of pitting/vertical mulching

- ROW clearing shall be in accordance with BLM guidelines.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor.



- All construction and disturbance, including boring activities, shall occur from the road toe of slope out or
  outside of a 20 foot buffer from the edge of pavement, whichever is greater, on each side of US 189
  except for the development and maintenance of a temporary access road across US 189 through the
  duration of the project. All existing vegetation within this defined area shall be maintained and
  protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor within 300 feet of US 189 on the east side and within 800 feet of US 189 on the west side.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location: Alignment Sheet: Description: Hwy 30 crossing

MP 222 300A-92 Hwy 30 crossing

Approximate limits of pitting/vertical mulching


## Mitigation Recommendations:

Approximate limits of no disturbance

- Provide vinyl coated chain link fence around MLV 16. Color to be selected from commercially available sources and to the extent possible consistent with BLM color schemes. Color to be approved by BLM.
- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from
  the edge of pavement on each side of Hwy 30 except for the development and maintenance of a
  temporary access road across Hwy 30 through the duration of the project. All existing vegetation within
  this defined area shall be maintained and protected.
- After pipeline installation, temporary access road shall be removed in its entirety and all disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 30.



• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor from approximately MP 265.9 to MP 266.8, subject to landowner approval.



- Existing vegetation to remain between developed berms in pipe yard, as practical. After project completion, berms to be removed in their entirety and storage area to be reclaimed with pitting and vertical mulching techniques. (See Exhibit E)
- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of US 93 except for the development and maintenance of a temporary access road across US 93 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of US 93.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location: MP 330.5

Alignment Sheet: 300A-136

Description: Wieland Flat Compressor Station and Hwy 225 crossing



## Mitigation Recommendations:

Approximate limits of no disturbance

- Vegetation in necessary disturbance areas outside of the compressor station site to remain and be trampled unless otherwise specified.
- Existing vegetation to remain between developed berms in pipe yard as practical. After project completion, berms to be removed in their entirety and disturbed area to be reclaimed with pitting and vertical mulching techniques. (See Exhibit E)
- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 225 except for the development and maintenance of a temporary access road across Hwy 225 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 225 and in the staging area.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location:
Near MP 339

Alignment Sheets:
300A-139 & 140


Staging
area
MP 339

Staging
226

226

Approximate limits of pitting/vertical mulching

- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 226 except for the development and maintenance of a temporary access road across Hwy 226 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for approximately 1000 feet to the east of crossing to ridge line and 1000 feet to the west of crossing to wash.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.



• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 789.



• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor between MP 368.5 and 370.5.

Location: MP 476.5


Alignment Sheet: 300A-196

Description:
Desert Valley Compressor
Station and Hwy 330 crossing




Approximate limits of pitting/vertical mulching

- Vegetation disturbance required outside of the compressor station site shall be trampled.
   Reclaim disturbed areas outside the compressor site with pitting and vertical mulching techniques.
- Existing vegetation to remain between developed berms in pipe yard as practical. After project completion, berms to be removed in their entirety and disturbed area to be reclaimed with pitting and vertical mulching techniques. (See Exhibit E)
- Pitting and vertical mulching reclamation techniques shall be employed 300 feet east of Hwy 330.




Approximate limits of pitting/vertical mulching

 Pitting and vertical mulching reclamation techniques techniques shall be employed approximately 2,200 feet east of wash and 850 west of wash.



• Pitting, vertical mulching, and trampling vegetation techniques shall be employed from approximately MP 516.5 to MP 517.6 and in the staging area.

Location:Alignment Sheets:Description:Near MP 518300A-212 & 213Lahontan Creek



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation
- Blast/remove rock cliff to leave heavily textured cut surfaces.
- Salvage rock removed from existing formation and replace along approximate location of removal. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock formation to cut and damaged surfaces and to rock replaced on pipeline alignment.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor between MP 517.6 and MP 518.80 and in the staging area.

Location: MP 520

Alignment Sheet: 300A-213

Description: Road to Summit Lake reservation, crosses alignment at approximately MP 519.79



Approximate limits of pitting/vertical mulching


# Mitigation Recommendations:

• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 1,000 feet east of road and 600 feet west of road.

Location: MP 521

Alignment Sheet: 300A-214

Description: Alignment crosses rock formation at approximately MP 521.29 and MP 521.6



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation
- Blast/remove rock cliff to leave heavily textured cut surfaces.
- Salvage rock from existing formation and replace along approximate location of removal. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock formation to cut and damaged surfaces and to rock replaced on pipeline alignment.

Location: MP 528.2

Alignment Sheet: 300A-217

Description: Staging area and location where alignment crosses rock formations



Approximate limits of pitting/vertical mulching

- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 300 east of the roadway and approximately 600 feet west of the roadway and in the staging area.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.

Location: MP 532.2

Alignment Sheet: 300A-218

Description:

Alignment crosses landform with some rock formation and a staging area is located along roadway at approximately MP 532.47



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 1,200 feet east of the roadway, 300 feet west of the roadway and in the staging area.
- Minimize pipeline disturbance through landform/rock formation.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.


Location: Alignment Sheet: Description: 300A-219 Alignment crosses landform east of road MP 533.6

## Mitigation Recommendations:

- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 300 feet on the west side of the roadway and approximately 150 feet east of the roadway.
- Minimize pipeline disturbance through landform/rock formation.

Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.



- Minimize pipeline disturbance through landform/rock formation.
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 300 feet on each side of the wash.

Location: MP 536

Alignment Sheet: 300A-220

Description:
Alignment crosses steep cliff/rock
formation at wash west of roadway



Approximate limits of pitting/vertical mulching
Approximate limits of reduced footprint and rock restoration

- Minimize pipeline disturbance through landform/rock formation.
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 350 feet on the east side of the road, approximately 400 feet on the west side of the roadway to the rock formation and 850 feet west of the wash.

Alignment Sheet: 300A-220

Description: Alignment crosses a steep cliff formation east of roadway



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation.
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to appear as natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 300 feet on the east side of the rock formation and 1,900 feet on the west side up to the roadway and 300 feet west of the roadway.

Alignment Sheet: 300A-221

Description: Alignment crosses two cliffs/rock formations east of wash



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation.
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to mimic natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 1,100 feet on the east side of the eastern rock formation; in the space between the two formations; from the western formation to the roadway and approximately 300 feet west of the roadway.

Location: Near MP 54 Alignment Sheet: 300A-24

Description: Hwy 16 crossing in Woodruff



Approximate limits of pitting/vertical mulching
Approximate limits of no disturbance

- All construction and disturbance, including boring activities, shall occur outside of a minimum 20 foot buffer from the edge of pavement on each side of Hwy 16 except for the development and maintenance of a temporary access road across Hwy 16 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor between Hwy 16 and the powerlines on the north side and within 300 feet of Hwy 16 on the south side.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location:Alignment Sheet:Description:MP 542.6300A-223Staging area adjacent to road



Mitigation Recommendations:

Approximate limits of pitting/vertical mulching

• Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor 300 feet on each side of the road and the staging area.

Location: MP 545.8

Alignment Sheet: 300A-224

Description: Alignment crosses wash and slopes near roadway



Approximate limits of pitting/vertical mulching

## Mitigation Recommendations:

 Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 750 feet on the east side of the wash and 900 feet on the west side of the wash.




Mitigation Recommendations:

 Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 700 feet on the east side of the wash and 650 feet on the west side of the wash. Location: MP 548.8

Alignment Sheet: 300A-225

Description: Alignment crosses rock formation visible from Nevada SR 8A



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation.
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to mimic natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 300 feet on the east side of the rock formation and 300 feet on the west side up to the roadway.



Mitigation Recommendations:

 Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor 300 feet on east side of the road, 375 feet on the west side of the road and the staging area. Location: Alignment Sheet: Description:
MP 551 300A-226 Pipe storage area along Hwy 8A



Approximate limits of pitting/vertical mulching

- Existing vegetation to remain between developed berms in pipe yard as practical. After project completion, berms to be removed in their entirety and storage area to be reclaimed with pitting and vertical mulching techniques. (See Exhibit E)
- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 8A, except for the development and maintenance of a temporary access road across the highway through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- Minimize pipeline disturbance corridor to 75 feet within 300 feet of road crossing.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 875 feet on the west of Hwy 8A and 600 feet on the east side of Hwy 8A and in the staging area.
- After pipeline installation, temporary access road shall be removed in its entirety and all disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.

Location: MP 571.5

Alignment Sheet: 300A-234

Description: Barrel Springs Back Country Byway – south crossing




Approximate limits of pitting/vertical mulching

- Minimize pipeline disturbance corridor to 75 feet for 600 feet on either side of road crossing.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 600 feet on either side of Byway.

Alignment Sheet: 300A-235

Description:

Pipeline ascends steep slope visible from Long Valley and Barrel Springs Back Country Byway



Approximate limits of pitting/vertical mulching
Approximate limits of rock restoration

- Minimize pipeline disturbance through landform/rock formation
- Blast/remove rock face to leave heavily textured cut surfaces.
- Salvage rock from excavation of rock formation and replace in approximate location of removed formation. Place to mimic natural rock fall in disturbed area.
- Apply rock staining to match existing rock for all cut faces and replaced rock.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor approximately 200 feet on the north side of the rock formation and 200 feet on the south side.


Alignment Sheet: 300A-239

Description: Barrel Springs Back Country Byway – north crossing



Approximate limits of pitting/vertical mulching

- Minimize pipeline disturbance corridor to 75 feet for 600 feet on either side of road crossing.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 600 feet on either side of Byway.



- Salvage surface boulders and relocate on disturbed area to mimic existing conditions.
- Minimize pipeline disturbance through landform/rock formation.
- Blast/Remove rock face to leave natural appearing edges at cut.
- Apply rock staining to mach existing rock for all cut faces and replaced rock.
- Reestablish local vegetation mix with use of plantings and supplemental water in addition to seeding.
- Reclaim staging areas with pitting and vertical mulching techniques.

Alignment Sheet: 300A-250

Description: Rogger Meadow/ Crane Mountain Trail



- Selectively clear trees to create irregular edges and mimic natural openings in forest within all forested areas and at edges of meadow. (See Exhibit A)
- Minimize pipeline disturbance corridor to 75 feet within 200 feet of road crossings and through meadow.
- Pipeline disturbance corridor to be revegetated with shrubby vegetation on the fringes of the meadow where corridor re-enters forested areas.
- Maintain selected mature trees (+8" dbh) on spoil side of corridor.

Location: Near MP 614 Alignment Sheet: 300A-252

Description:
Oregon Outback Scenic Byway (US 395),
south of Lakeview – pipeline crossing



Approximate limits of pitting/vertical mulching
Approximate limits of no disturbance

- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from
  the edge of pavement on each side of the Byway except for the development and maintenance of a
  temporary access road across the Byway through the duration of the project. All existing vegetation
  within this defined area shall be maintained and protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 600 feet on the east side of Byway.
- After pipeline installation, temporary access road shall be removed in its entirety and all disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.
- Trample vegetation in staging area. Reclaim staging area with pitting and vertical mulching techniques.

Location: MP 64.8 to 65.8

Alignment Sheet: 300A-28

Description: Ogden River Scenic Byway (Hwy 39)- on north facing slope




Refer to exhibits C and C1

- Selectively clear trees and create feathered/irregular edges in all forested patches along disturbance corridor. (See Exhibit C and C-1)
- Incorporate drainage area species into reclamation seed mix in low areas and east facing slopes. Do not include these species in seed mix used on unvegetated west facing slopes.
- Reclaim all cleared vegetated areas with pitting and vertical mulching techniques.

Location: Near MP 651-659 Alignment Sheet: 300A-267

Description: Rock Creek Campground/Willow Valley Road



Approximate limits of pitting/vertical mulching

- Selectively clear trees to create irregular edges and mimic natural openings in forest adjacent to campground from MP 651.5 to 651.65. (See Exhibit A)
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for from MP 651.4 to 651.8.
- Place rocks/boulders excavated from area to create barriers to reduce vehicle access to corridor from campground. Coordinate location and configuration of barriers in the field with BLM.
- Create natural appearing boulder outcrops in cleared area.
- Scatter excavated rock on disturbed surfaces to mimic surrounding area.
- Maintain selected mature trees (+8" dbh) on spoil side of corridor.
- Along Willow Valley Road, from approximately MP 651.88 to MP 659, maintain undisturbed area adjacent to road surface in coordination with BLM.


Location: Near MP 73 Alignment Sheets: 300A-31 & 32

Description:
Ogden River Scenic Byway
(Hwy 39) – pipeline crossing




Approximate limits of pitting/vertical mulching
Approximate limits of no disturbance

- All construction and disturbance, including boring activities, shall occur from the road toe of slope out or
  outside of a 20 foot buffer from the edge of pavement, whichever is greater, on each side of Hwy 39
  except for the development and maintenance of a temporary access road across Hwy 39 through the
  duration of the project. All existing vegetation within this defined area shall be maintained and
  protected.
- Pitting and vertical mulching reclamation techniques shall be employed in pipeline disturbance corridor for 300 feet on either side of Hwy 39.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.
- Provide vinyl coated chain link fence around MLV 6. Color to be selected from commercially available sources and to the extent possible consistent with BLM color schemes. Color to be approved by BLM.




- Selectively clear trees and create feathered/irregular edges in all forested patches along disturbance corridor. (See Exhibit D)
- All construction and disturbance, including boring activities, shall occur outside of a 20 foot buffer from the edge of pavement on each side of Hwy 162 except for the development and maintenance of a temporary access road across Hwy 162 through the duration of the project. All existing vegetation within this defined area shall be maintained and protected.
- After pipeline installation, temporary access road shall be removed in its entirety. All disturbed areas shall be regraded and reclaimed with pitting and vertical mulching techniques.


# **FORESTED AREAS**




# **SECTION**




# **SAGE & GRASSLANDS**





# **SECTION**




SELECTIVE CLEARING, IRREGULAR EDGE, & FEATHERING







NEAR MP 95 - HWY 162 CROSSING IN AVON



# PIPE STORAGE BERMS